## C E DECLARATION OF CONFORMITY DoC-9200

We, ORIENTAL MOTOR CO., LTD., herewith declare under our sole responsibility that the undermentioned product(s) in view of its design and construction meets the relevant basic requirements of the EU Directive.

Description of the products: Speed Controller

Product models: See Appendix

Relevant EU Directive(s) and applied standard(s):

Low Voltage Directive, 2014/35/EU

EN 62477-1:2012+A11:2014+A1:2017+A12:2021

EMC Directive, 2014/30/EU EN 61000-6-4:2007+A1:2011

EN 55011:2016+A1:2017+A11:2020

EN 61000-6-2:2005

Manufacturer's name and address:

ORIENTAL MOTOR CO., LTD.

4-8-1 Higashi Ueno, Taito-ku, Tokyo, 110-8536, Japan

Date of issued: 7.June.2023

> Takonjuki Kurimoto Takayuki Kurimoto

General Manager AC/BL Motor Products Department



DoC-9200

## Certificate of Non-Usage of **EU RoHS Directive Restricted Substances**

## EU RoHS 指令規制物質不使用証明書

We, ORIENTAL MOTOR CO., LTD., herewith certify that the following products do not contain the substances exceeding the maximum concentration values of EU RoHS Directive.

オリエンタルモーター株式会社は、以下の製品に EU RoHS 指令の最大濃度値を超える物質を含有していないことを証明します。

See Appendix Product models:

Relevant EU Directive: 2011/65/EU, (EU) 2015/863

	1
RoHS restricted substances	Maximum concentration values
RoHS 規制物質	最大濃度値
Lead	0.4.40/
鉛	0.1 wt%
Mercury	0.1 wt%
水銀	0.1 Wt/8
Cadmium	0.01 wt%
カドミウム	0.01 Wt76
Hexavalent chromium	0.4.10/
六価クロム	0.1 wt%
Polybrominated biphenyls (PBB)	0.4.10/
ポリ臭化ビフィニル類 (PBB 類)	0.1 wt%
Polybrominated diphenyl ethers (PBDE)	0.4
ポリ臭化ジフェニルエーテル類 (PBDE 類)	0.1 wt%
Bis (2-ethylhexyl) phthalate (DEHP)	0.4+0/
フタル酸ビス (2-エチルヘキシル) (DEHP)	0.1 wt%
Butyl benzyl phthalate (BBP)	0.1 wt%
フタル酸ブチルベンジル (BBP)	
Dibutyl phthalate (DBP)	0.4.10/
フタル酸ジブチル (DBP)	0.1 wt%
Diisobutyl phthalate (DIBP)	0.1 wt%
フタル酸ジイソブチル (DIBP)	U. I WL70
Expect for the application listed in (EU) 2015/863 ANNEX III.	
(EU) 2015/863 の付属書Ⅲで規定する除外項目は除く。	

Manufacturer's name and address: ORIENTAL MOTOR CO., LTD.

4-8-1 Higashi Ueno, Taito-ku, Tokyo, 110-8536, Japan

Date of issued: 7.June.2023

> Takonjuki Kurimulo Takayuki Kurimoto General Manager

AC/BL Motor Products Department



## Appendix: Product models

Speed Controller Model	Applicable Motor Model
US2D6-JA	SCM26, followed by A or GV, followed by -JA.
	USM206-001W2, USM206-401W2.
US2D6-UA	SCM26, followed by A or GV, followed by -UA.
	USM206-001W2, USM206-401W2.
US2D6-JC	SCM26, followed by A or GV, followed by -JC.
	USM206-002W2, USM206-402W2.
US2D6-EC	SCM26, followed by A or GV, followed by -EC.
	USM206-002W2, USM206-402W2.
US2D15-JA	SCM315, followed by A or GV, followed by -JA.
	USM315-001W2, USM315-401W2.
US2D15-UA	SCM315, followed by A or GV, followed by -UA.
	USM315-001W2, USM315-401W2.
US2D15-JC	SCM315, followed by A or GV, followed by -JC.
	USM315-002W2, USM315-402W2.
US2D15-EC	SCM315, followed by A or GV, followed by -EC.
	USM315-002W2, USM315-402W2.
US2D25-JA	SCM425, followed by A or GV, followed by -JA.
	SCM425KJA
	USM425-001W2, USM425-401W2.
US2D25-UA	SCM425, followed by A or GV, followed by -UA.
	SCM425KUA
	USM425-001W2, USM425-401W2.
US2D25-JC	SCM425, followed by A or GV, followed by -JC.
	SCM425KJC
	USM425-002W2, USM425-402W2.
US2D25-EC	SCM425, followed by A or GV, followed by -EC.
	SCM425KEC
	USM425-002W2, USM425-402W2.

All models may or may not be followed by a hyphen and/or any letters and/or suffix numbers. The declaration of conformity applies only to the models marked on the nameplate or packaging label.



Speed Controller Model	Applicable Motor Model
US2D40-JA	SCM540, followed by A or GV, followed by -JA.
	SCM540KJA
	USM540-001W2, USM540-401W2.
US2D40-UA	SCM540, followed by A or GV, followed by -UA.
	SCM540KUA
	USM540-001W2, USM540-401W2.
US2D40-JC	SCM540, followed by A or GV, followed by -JC.
	SCM540KJC
	USM540-002W2, USM540-402W2.
US2D40-EC	SCM540, followed by A or GV, followed by -EC.
	SCM540KEC
	USM540-002W2, USM540-402W2.
US2D60-JA	SCM560, followed by A or GVH, followed by -JA.
US2D60-UA	SCM560, followed by A or GVH, followed by -UA.
US2D60-JC	SCM560, followed by A or GVH, followed by -JC.
US2D60-EC	SCM560, followed by A or GVH, followed by -EC.
US2D90-JA	SCM590, followed by A or GVR, followed by -JA.
	SCM590KJA
US2D90-UA	SCM590, followed by A or GVR, followed by -UA.
	SCM590KUA
US2D90-JC	SCM590, followed by A or GVR, followed by -JC.
	SCM590KJC
US2D90-EC	SCM590, followed by A or GVR, followed by -EC.
	SCM590KEC

All models may or may not be followed by a hyphen and/or any letters and/or suffix numbers. The declaration of conformity applies only to the models marked on the nameplate or packaging label.

